



toy collection

Sonus faber



Sonus faber

toy collection

toy <i>speaker</i>	6
toy <i>tower</i>	7
toy <i>center</i>	8





Sonus faber

toy *speaker*



toy *center*



toy *tower*



toy *speaker*

Il gioco è sinonimo di gioia: la stessa emozione che l'arte dei suoni non ha mai smesso di regalare.

Il gioco è anche spontaneità, come quella di un piccolo sistema di altoparlanti pensato per esprimersi ovunque vi sia bisogno di musica ben riprodotta.

Toy sarà perfettamente a suo agio appoggiato su un tavolo, vi stupirà quando lo installerete in una libreria e darà il meglio di sé se lo tratterete come un diffusore hi-end, posizionandolo con attenzione nel vostro ambiente d'ascolto.

Perché il piacere della musica ben riprodotta è un bene di tutti.

Sonus Faber conveys in the Toy the sheer experience of joy that comes from working with real passion and enthusiasm for music of all kinds. Toys have always been synonymous with happiness and surprise, the same emotions the art of sound has conveyed from time immemorial. Play is also about spontaneity, embodied perfectly in this gem-like system of compact loudspeakers which are easy to place yet convey the full impact of music in all its variety. The Toy is perfectly at home on a side table; it will surprise and delight you when installed in a bookcase; and it will truly shine when you treat it like the true high-end loudspeaker it is by placing it carefully in your favorite room. The Toy proves the pleasure of music reproduced with clarity and nuance can be a gift to everyone.

FINISH:

Barred black leather.

DIMENSIONS:

265 x 185 x 270 mm (HxWxD).

WEIGHT:

9.8 Kg per pair – net weight / 12 Kg per pair – shipping weight.

SYSTEM:

2 way vented box loudspeaker.

CABINET:

Construction with decoupled side panels for resonances and standing waves control.

TWEETER:

25 mm ultra dynamic ring radiator-driver, neodymium magnet system.

MID-WOOFER:

110 mm coated cellulose cone driver.

CROSS-OVER:

Non-resonant third order design, optimized phase characteristics for optimal space/time performance, cross-over point 4.500 Hz.

FREQUENCY RESPONSE:

60 Hz – 25.000 Hz, tuning port included.

SENSITIVITY:


87 dB SPL (2.83 V/1m).

NOMINAL IMPEDANCE:

8 ohm.

POWER HANDLING:

20W – 100W, without clipping.



toy tower

Donare alle emozioni della musica una dimensione di coinvolgimento ancor più intensa e profonda è il desiderio che Sonus faber realizza grazie a Toy tower, un piccolo ed equilibrato diffusore da pavimento con una grande ambizione: restituire, in maniera completa ed avvolgente, il messaggio sonoro contenuto nei vostri dischi preferiti.

Nutritelo di piccole attenzioni, posizionandolo con cura e scegliendo con gusto i suoi partners elettronici, e sarete ripagati, giorno dopo giorno, con una riproduzione musicale estremamente coinvolgente, profondamente appassionata e totalmente appagante.

With the compact but ambitious floor-standing Toy Tower, Sonus Faber conveys all the colors and emotions of lifesized music reproduction with an even more intense, profound involvement than its smaller sibling. The Toy Tower delivers a complete acoustic picture of your favorite melodies that will simply carry you away. Cherish your new Toy Tower. Position it attentively and select its electronic partners with care. You will be rewarded, day after day, with an intensely passionate and soulful musical experience.

FINISH:

Barred black leather.

DIMENSIONS:

950 x 270 x 295 mm (HxWxD).

WEIGHT:

35.6 Kg per pair – net weight / 43 Kg per pair – shipping weight.

SYSTEM:

3 way vented box loudspeaker.

CABINET:

Construction with decoupled side panels for resonances and standing waves control.

TWEETER:

25 mm ultra dynamic ring radiator-driver, neodymium magnet system.

MIDRANGE:

110 mm coated cellulose cone driver.

WOOFER:

180 mm hard nomex cone driver.

CROSS-OVER:

Non-resonant third order design, optimized phase characteristics for optimal space/time performance, cross-over point 400 Hz – 4000 Hz.

FREQUENCY RESPONSE:

45 Hz – 25.000 Hz, tuning ports included.

SENSITIVITY:


89 dB SPL (2.83 V/1m).

NOMINAL IMPEDANCE:

8 ohm.

POWER HANDLING:

35W – 200W, without clipping.



toy center

Un diffusore per riprodurre la voce con ariosità e precisione. Grazie al suo equilibrio timbrico, Toy center è il piccolo canale centrale perfettamente integrato con la linea Toy, che consente a quest'ultima di inserirsi, con estrema semplicità e fruibilità, in tutte le applicazioni non strettamente stereofoniche - quali le varie configurazioni multicanale e multimediali - che richiedono la qualità dei diffusori Sonus faber per garantire una riproduzione appassionata e coinvolgente.

The Toy Center is engineered to reproduce the human voice with dynamism and precision. With its unique timbral balance and compact dimensions, the Toy Center integrates perfectly with other Toy models. It makes a simple but highly effective addition to Toy speakers used in multichannel and multimedia configurations - all of which benefit from the passionate and enveloping experience delivered with full intensity by the legendary quality of Sonus Faber loudspeakers.

FINISH:

Barred black leather.

DIMENSIONS:

165 x 540 x 225 mm (HxWxD).

WEIGHT:

7.3 Kg – net weight / 9.5 Kg – shipping weight.

SYSTEM:

2 way vented box loudspeaker.

CABINET:

Construction with decoupled side panels for resonances and standing waves control.

TWEETER:

25 mm ultra dynamic ring radiator-driver, neodymium magnet system.

MID-WOOFERS:

110 mm coated cellulose cone drivers.

CROSS-OVER:

Non-resonant third order design, optimized phase characteristics for optimal space/time performance, cross-over point 2.000 Hz.

FREQUENCY RESPONSE:

55 Hz – 25.000 Hz, tuning ports included.

SENSITIVITY:

89 dB SPL (2.83 V/1m).

NOMINAL IMPEDANCE:

8 ohm.

POWER HANDLING:

20W – 100W, without clipping.

